

Heavy-Duty Slide Options

Accuride offers a comprehensive range of heavy-duty slides specially designed for wide-drawer applications in commercial environments.

3600 Series

7950

Non-disconnect

7957

Handed lever disconnect

Enhanced 9300 Series



Model 9301E



Heavy-Duty Slide Options

Model 3600

With a load rating up to 275lbs. [124 kg], this slide works well in workstations, machinery, and mechanical devices.

- · Full extension.
- · Non-disconnect.
- · Hold-in detent.
- Even lengths 12" -28" [305-711 mm].
- · Clear zinc finish.

Model 3601

This product offers heavy-duty performance and over travel for utility and industrial truck bodies, machine tools, and mechanical devices.

- · Load rating up to 255 lbs. [116 kg].
- 1" [25 mm] over travel.
- · Non-disconnect.
- · Hold-in detent.
- Even lengths 12"-28" [305-711 mm].
- · Clear zinc finish.

Model 3607

Lock out and lever disconnect benefit applications such as machinery where component assemblies are pulled out for service and maintenance.

- · Load rating up to 275 lbs. [124 kg].
- · Full extension.
- · Lever disconnect.
- Lock-out
- Even lengths 12"-28" [305-711 mm].
- · Clear zinc finish.

Model 3608 NEW


This heavy-duty slide features lock-in and lock-out functionality to secure drawers open or closed. The 3608 also has a non-disconnect design to prevent drawers from being removed.


- Stationary load rating up to 275 lbs. [124 kg].
- · Full extension.
- Lock-in & Lock-Out
- Even lengths 12"-28" [305-711 mm].
- Clear zinc finish.


Models 7950 & 7957

An intermediate load rating choice for heavier storage applications.

- Full extension
- · Dual mounting:
 - Side mount load capacity up to 350 lbs. [159 kg];
 - Flat mount load capacity up to 150 lbs. [68 kg].
- Accommodates drawers up to 42" wide [1067 mm]
- · Clear zinc (C) finish
- Even lengths 12"-36" [305-914 mm]













Enhanced 9300E Series

Through proactive enhancements, the 9300E series slide is a far more robust product with less migration, longer life, fewer field failures, less noise, and a load rating up to 600 lbs. These slide improvements make the 9300E series slide superior to all other slides in its class.




Load Ratings

- Moderate usage: 600 lbs./pair Drawers up to 24" wide*
- Frequent usage: 480 lbs./pair Drawers up to 42" wide**
- Mobile applications: 360 lbs./pair
 Drawers up to 32" wide*
- Flat mount: 180 lbs./pair
 Drawers up to 32" wide*
- Bracket-mount applications:
 Drawers up to 22" wide: 600 lbs./pair
 Drawers up to 42" wide: 420 lbs./pair
- * Lengths 10' 36". For load ratings on longer lengths, consult product technical sheet. Load ratings based on 10,000 cycle test.
- ** Lengths 10" 36". For load ratings on longer lengths, consult product technical sheet. Load ratings based on 75,000 cycle test.

9300E Shared Features

- Full extension
- .75" [19.1 mm] side space
- · Non-disconnect
- Even lengths 10" –36", 40", 42", 44", 48", 54", 60" [254–914, 1016, 1067, 1118, 1219, 1372, 1524 mm]**
- · Clear zinc finish
- ** Lengths vary by model number. Refer to the tech sheet





Model 9301E is designed for use in a variety of storage applications including vehicular storage, or other wider, heavier drawers. Platform bracket kits provide six additional mounting configurations, offering installers a broader range of application solutions.



Heavy-Duty with a lock-out for applications where secure access to drawers and trays adds a measure of safety.




Lock-in and lock-out features to ensure drawers stay securely closed during transit in applications such as utility vehicles.

Heavy-Duty Slide Options



Model 9328E **Pocket & Bayonet Mounting** Lock-in & Lock-out 03 1


Heavy-Duty load rating with lock-in/lock-out to keep drawers securly in place during access or transit.



Model 9322E **Pocket & Bayonet Mounting** Non-locking companion slide



Model 9322 is unhanded and can be used on either the left or right hand side of the unit.







Pocket & Bayonet Mounting - Toolless Installation

These products have a standardized bayonet/pocket installation system that simplifies and speeds up slide integration. Installers simply snap the slides into position, without the need for screws, washers, or lock nuts. The slide is secured in position with locking tabs or barbs.

Authorized Distributor













Santa Fe Springs, CA 90670 562.903.0200 • fax: 562.903.0208

www.accuride.com

© 2023-2024 Accuride International Inc. 2314-R3-0424-2M-ALA